Open Access CORRECTION

Correction: Reducing the harms of xylazine: clinical approaches, research deficits, and public health context

Claire M. Zagorski^{1*}, Rebecca A. Hosey², Christopher Moraff³, Aaron Ferguson⁴, Mary Figgatt⁵, Shoshana Aronowitz⁶, Natalie E. Stahl⁷, Lucas G. Hill¹, Zoe McElligott⁸ and Nabarun Dasgupta⁹

Correction: Harm Reduction Journal (2023) 20:1 https://doi.org/10.1186/s12954-023-00879-7

In the original version of this article [1], the paragraph under the section "Drug War Failure" should read as follows:

Xylazine is unscheduled at the federal level, and to date is illegal only in Florida, where it was banned in 2018 [40]. Increased attention to xylazine and its harms has recently

The original article can be found online at https://doi.org/10.1186/s12954-023-00879-7

*Correspondence:

Claire M. Zagorski

claire.zagorski@austin.utexas.edu

- College of Pharmacy, The University of Texas at Austin, 2409 University Avenue, A1910, PHR 3.208J, Austin, TX 78712, USA
- ² HIV Prevention Research Division, Department of Psychiatry, School of Medicine, University of Pennsylvania, 3535 Market Street, Suite 4000, Philadelphia, PA 19104, USA
- ³ Narcomedia, Inc., Philadelphia, PA, USA
- ⁴ National Survivors Union, 1116 Grove St, Greensboro, NC 27403, USA
- ⁵ Department of Epidemiology, University of North Carolina Gillings School of Global Public Health, 135 Dauer Drive, Chapel Hill, NC 27599,
- ⁶ University of Pennsylvania School of Nursing, Fagin Hall, 418 Curie Blvd, Philadelphia, PA 19104, USA
- ⁷ Greater Lawrence Family Health Center, 34 Haverhill Street, Lawrence, MA 01841, USA
- ⁸ Department of Pharmacology, Bowles Center for Alcohol Studies, University of North Carolina, CB#7178, 104 Manning Road, Chapel Hill, NC
- ⁹ University of North Carolina, 725 MLK Jr. Blvd., CB 7505, Chapel Hill, NC 27599, USA

prompted a call for xylazine to be federally scheduled. However, we urge caution in such an approach. Scheduling xylazine would only control the licit supply, creating barriers to needed research on the health impacts, toxicology, and safety profile of the drug. Further, xylazine is used very commonly as a surgical anesthetic for animals used in pre-clinical research, including cancer research. Scheduling xylazine would disrupt these research areas and slow progress.

The original article has been corrected.

Accepted: 11 November 2023 Published online: 27 November 2023

Reference

Zagorski CM, et al. Reducing the harms of xylazine: clinical approaches. research deficits, and public health context. Harm Reduct J. 2023;20:141. https://doi.org/10.1186/s12954-023-00879-7.

Publisher's Note

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.



© The Author(s) 2023. Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit http://creativecommons.org/licenses/by/4.0/. The Creative Commons Public Domain Dedication waiver (http://creativeco mmons.org/publicdomain/zero/1.0/) applies to the data made available in this article, unless otherwise stated in a credit line to the data.